

# **Product Data Sheet**

# Product Sinopec L-CKD Heavy Duty Industrial Gear Oil Summary Product description Sinopec L-CKD Heavy Duty Industrial Gear Oil is a range of high-performance gear oils formulated with high-quality mineral oils and an advanced multifunctional additive. These oils are designed for use in enclosed industrial gear drives where they offer excellent extreme pressure and load carrying properties.

### Applications

Sinopec L-CKD Heavy Duty Industrial Gear Oil is suitable for use in:

- Enclosed industrial gear drives equipped with circulation or splash-lubrication systems, operating under normal, heavy or shock-loaded conditions.
- Plain or antifriction bearings running under heavy or shock-loaded conditions.
- Heavy-duty gearboxes in a wide range of applications and industries, for example, in conveyers, presses, extruders and crushers in the construction, mining, steel and chemical sectors.

### Features and benefits

- Excellent extreme pressure(EP) and antiwear performance protect gear teeth and bearing surfaces against seizure, scuffing, spalling and wear, even in severe high-load and shock-loading conditions, extending component life and lowering operating noise.
- Excellent thermal and oxidation stability minimise the build up of sludge and varnish deposits that can reduce component life; and ensure lubricant stability and longer life even with high bulk oil temperatures, reducing the maintenance costs associated with oil changes.
- Protection against copper corrosion and rusting extends the life of copper alloys and steel components.
- Good antifoaming properties ensure optimum oil film thickness, protecting against wear, and minimising leakage and overflow from gear boxes and oil reservoirs.
- Excellent water separation properties prevent the formation of emulsions and allow excess water to be easily drained from the system, ensuring effective corrosion prevention, optimum lubrication and protecting components against surface fatigue and wear.
- Available in a wide range of viscosity grades to meet the specific needs of the application.
- Fully compatible with common seal materials, to extend seal life and prevent fluid leakage.



# **Product Data Sheet**

### Typical data

|   | Sinopec L-CKD Heavy Duty Industrial Gear Oil |                    |                    |                    |                    |                    |                     |                    |
|---|--|--------------------|--------------------|--------------------|--------------------|--------------------|---------------------|--------------------|
| ISO viscosity grade   | 68   | 100                | 150                | 220                | 320                | 460                | 680                 | 1000               |
| Kinematic viscosity, ASTM D 445   |  |                    |                    |                    |                    |                    |                     |                    |
| cSt @ 40°C  | 68.24  | 99.16              | 150.9              | 222.6              | 324.6              | 470.5              | 684.6               | 1002.0             |
| cSt @ 100°C   | 8.80   | 11.08              | 14.57              | 18.75              | 24.14              | 31.37              | 40.88               | 57.0               |
| Viscosity index, ASTM D 2270  | 101  | 96                 | 95                 | 94                 | 95                 | 97                 | 99                  | 110                |
| FZG scuffing test, fail load<br>stage, A/8.3/90, DIN 51354                                  | 12+  | 12+                | 12+                | 12+                | 12+                | 12+                | 12+                 | 12+                |
| Timken OK load, lb, ASTM D 2782   | 60   | 60                 | 60                 | 60                 | 60                 | 60                 | 60                  | 60                 |
| Four ball EP, ASTM D 2783<br>weld load, kg<br>load wear index                               | 250<br>465                                   | 250<br>465         | 250<br>465         | 315<br>549         | 315<br>565         | 315<br>588         | 315<br>587          | 315<br>605         |
| Rust prevention, synthetic sea water,<br>ASTM D 665B  | pass   | pass               | pass               | pass               | pass               | pass               | pass                | pass               |
| Copper corrosion, 3 hours @<br>100°C, ASTM D 130  | 1b   | 1b                 | 1b                 | 1b                 | 1b                 | 1b                 | 1b                  | 1b                 |
| Foaming characteristics, ASTM D 892<br>sequence I<br>sequence II<br>sequence III            | 0/0<br>10/0<br>0/0                           | 0/0<br>10/0<br>0/0 | 0/0<br>10/0<br>0/0 | 0/0<br>10/0<br>0/0 | 0/0<br>10/0<br>0/0 | 0/0<br>10/0<br>0/0 | 0/0<br>20/0<br>0/0  | 0/0<br>20/0<br>0/0 |
| Demulsibility @ 82°C, ASTM D 2711<br>water in oil, %<br>emulsion, mL<br>separated water, mL | 1.0<br>0.5<br>84.0                           | 1.0<br>0.5<br>84.0 | 0.8<br>0.3<br>83.0 | 0.5<br>0.2<br>86.3 | 0.5<br>0.5<br>84.6 | 0.9<br>0.2<br>83.2 | 0.8<br>0.60<br>81.9 | 1.0<br>0.8<br>81.5 |
| Pour point, °C, ASTM D 97   | -17  | -17                | -14                | -12                | -9                 | -9                 | -9                  | -9                 |
| Flash point (COC), °C, ASTM D 92  | 234  | 246                | 249                | 242                | 250                | 238                | 270                 | 246                |
| Density @ 20°C, kg/cm <sup>3</sup> , ASTM D 4052  | 876.6  | 878.8              | 888.7              | 886.3              | 896.6              | 898.7              | 899.5               | 898.5              |

These data are given as an indication of typical values, not exact specifications.



The information contained herein is subject to change without notification due to continuing research & development therefore properties may be subject to slight variations.

### Industry and OEM specifications

| Sinopec L-CKD Heavy Duty Industrial Gear Oil meets the performance requirements of the following industry specifications: |                    |  |  |  |
|---|--------------------|--|--|--|
| ISO   | 12925-1 CKD        |  |  |  |
| GB  | 5903 (2011)        |  |  |  |
| AGMA  | 9005-E02 (EP)      |  |  |  |
| DIN   | 51517 CLP (Part 3) |  |  |  |
| AIST (US Steel)   | 224                |  |  |  |

## Sinopec L-CKD Heavy Duty Industrial Gear Oil meets the performance requirements of the following OEM specifications:

| -  |  |  |  |  |
|--|--|--|--|--|
| David Brown  | S1.53.101  |  |  |  |
| Rossi Motoriduttori  | Recommended lubricant                            |  |  |  |
| Sinopec L-CKD Heavy Duty Industrial Gear Oil holds the following formal OEM approvals: |  |  |  |  |
| Bosch Rexroth  | Lube Oil Recommendations Appendix A (ISO VG 220) |  |  |  |
| SEW-Eurodrive  | Approved (ISO VG 220) by SEW China               |  |  |  |

### Accuracy of information

Data provided in this PDS is typical and subject to change as a result of continuing product research and development. The information given was correct at the time of printing. The typical values given are subject to variations in the testing procedures and the manufacturing process may also result in slight variations. Sinopec guarantees that its lubricants meet any industry and OEM specifications referred to on this data sheet.

Sinopec cannot be held responsible for any deterioration in the product due to incorrect storage or handling. Information on best practice is available from your local distributor.

### Product and environmental safety

This product should not cause any health problems when used in the applications suggested and when the guidance provided in the Material Safety Data Sheet (MSDS) is followed. Please consult the MSDS for more detailed advice on handling; MSDSs are available from your local distributor. Do not use the product in applications other than those suggested.

As with all products, please take care to avoid environmental contamination when disposing of this product. Used oil should be sent for reclamation/recycling or, if not possible, must be disposed of according to relevant government/authority regulations.

The SINOPEC trademark is registered and protected in Australia.

Issued: January 2025

© Sinopec 2025

Sinopec-L-CKD-Heavy-Duty-Industrial-Gear-Oil



The information contained herein is subject to change without notification due to continuing research & development therefore properties may be subject to slight variations.