

According to Work Health and Safety Regulations 2011 and National Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals

Version 1.1

Issue date: 18/09/2019

Revision date: 23/05/2022

SDS Record Number: CSSS-TCO-010-1172304

1. Identification of the material and supplier

| | |
|--|---|
| Material name: | ZLS GL-5 85W/140 Limited Slip Gear Oil |
| Other means of identification: | - |
| Recommended use: | Suitable for the requirements on limited slip differential of axle shafts or gearbox lubrication. |
| Restrictions on use: | Not available |
| Manufacturer: | |
| Supplier(Manufacturer): | SINOPEC LUBRICANT CO.,LTD |
| Address: | No. 6 Anning Zhuang West Road, Haidian District, Beijing, P.R.China |
| Contact person(E-mail): | csc.lube@sinopec.com |
| Telephone: | 86-800-810-9886 |
| Fax: | 86-10-82410856 |
| Emergency number: | 86-800-810-9886 |
| | |
| Australia Supplier(Manufacturer): | International Lubricant Distributors Pty. Ltd. |
| Address: | 21 Logistics Boulevard, Kenwick, WA 6107, Australia |
| Contact person(E-mail): | - |
| Telephone: | - |
| Fax: | +61 8 9381 1788 |
| Emergency number: | 1300 558 939 |
| | |
| New Zealand Supplier(Manufacturer): | MTS ENERGY LTD |
| Address: | PO BOX 302-133 North Harbour, Auckland 0751, New Zealand |
| Telephone: | +64 9 480 8921 |
| Fax: | +64 9 480 8398 |
| Emergency number: | 0800 399 993 (24 Hrs) |

2. Hazards identification

Australia:

Not classified as Hazardous according to criteria of National Occupational Health and Safety Commission (NOHSC), Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

New Zealand:

Not classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001, New Zealand.

Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

GHS label elements:

Hazard Pictograms: No hazard pictogram is used.

Signal word: No signal word is used.

| | |
|---|-----------------|
| Hazard statement: | Not applicable. |
| Precautionary statement: | |
| Prevention: | Not applicable. |
| Response: | Not applicable. |
| Storage: | Not applicable. |
| Disposal: | Not applicable. |
| Other hazards which do not result in classification: | Not applicable. |

3. Composition/information on ingredients

| Components | CAS No. | Percent |
|----------------------------|-----------------------|-----------|
| Highly refined mineral oil | 64742-54-7/64742-57-0 | 85 - 100% |
| alkyl sulfur mixtures | Mixture | 0-15% |

4. First aid measures

| | |
|---|--|
| Inhalation: | No specific first aid measures are required. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Get medical attention if coughing or respiratory discomfort occurs. |
| Skin: | No specific first aid measures are required. As a precaution, remove clothing and shoes if contaminated. To remove the material from skin, use soap and water. Discard contaminated clothing and shoes or thoroughly clean before reuse. |
| Eye: | No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and flush eyes with water. |
| Ingestion: | No specific first aid measures are required. Do not induce vomiting. As a precaution, get medical advice. |
| Symptoms caused by exposure: | Not available. |
| Medical Attention and Special Treatment: | Treat symptomatically. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media: | Use water fog, foam, dry chemical or carbon dioxide (CO ₂) to extinguish flames. |
| Extinguishing media which must not be used for safety reasons: | Water. |
| Specific hazards arising from the chemical: | This material will burn although it is not easily ignited. Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion. |
| Special protective equipment and precautions for fire fighters: | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

6. Accidental release measures

| | |
|---|--|
| Personal precautions, protective equipment and emergency procedures: | Provide adequate ventilation. Avoid inhalation of vapour. Avoid skin and eye contact. Refer to section 8 of SDS for personal protection details. |
| Environmental precautions: | Do not allow material to be released to the environment without proper governmental permits. |

Methods and materials for containment and cleaning up:

Stop the source of the release if you can do it without risk. Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.

7. Handling and storage

Precautions for safe handling:

Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which have the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum truck operations) and use appropriate mitigating procedures.

Conditions for safe storage, including any incompatibilities:

Store in original containers. Keep containers securely sealed. No smoking, naked lights or ignition sources. Store in a cool, dry, well-ventilated area. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition.

Storage regulation

Classified as a Class C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS1940. This product should be stored and used in a well-ventilated area away from naked flames, sparks and other sources of ignition.

8. Exposure controls/personal protection

Control parameters – exposure standards, biological monitoring: Not available

Exposure Levels

Occupational exposure limits:

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

| Components | Type | Value | Form |
|----------------|----------------|----------------|----------------|
| Not available. | Not available. | Not available. | Not available. |

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

| Components | Type | Value | Form |
|----------------|----------------|----------------|----------------|
| Not available. | Not available. | Not available. | Not available. |

No exposure standards have been established for this material, however, the TWA National occupational Health And Safety Commission (NOHSC) exposure standards for oil mist, mineral is 5 mg/m³, the STEL National occupational Health And Safety Commission (NOHSC) exposure standards for oil mist, mineral is 10 mg/m³.

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

Appropriate engineering controls:

Provide sufficient ventilation to keep airborne levels as low as possible. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a local exhaust ventilation system is required.

Personal protective equipment:

Eye/face protection:

No special eye protection is normally required. Where splashing is possible, wear safety

Skin protection:

glasses with side shields as a good safety practice.

No special protective clothing is normally required. Where splashing is possible, select protective clothing depending on operations conducted physical requirements and other substances in the workplace.

Respiratory protection:

No respiratory protection is normally required. No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material..If user operations generate an oil mist, determine if airborne concentrations are below the occupational exposure limit for mineral oil mist. If not, wear an approved respirator that provides adequate protection from the measured concentrations of this material. For air-purifying respirators use a particulate cartridge. Use a positive pressure air-supplying respirator in circumstances where air-purifying respirators may not provide adequate protection.

Hand protection:

Suggested materials for protective gloves include: Neoprene, Nitrile Rubber.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance:

| | |
|--|---------------------------------|
| Physical state: | Liquid |
| Form: | Oily liquid |
| Color: | Transparent, yellow |
| Odor: | Odorless or slight odor |
| Odour threshold: | Not available |
| PH: | Not available |
| Melting point/Freezing point: | Not available |
| Boiling point and boiling range: | >230°C (typical) |
| Flash point: | 214 °C (Open Cup)(typical) |
| Evaporation rate: | Not available |
| Flammability (solid, gas) : | Not available |
| Upper/lower flammability or explosive limits: | Not available |
| Vapor pressure: | <0.5MPa(40°C) |
| Vapor density: | >1 (air=1) |
| Density: | 0.86-0.91 kg/l @ 20°C |
| Solubility (H₂O) : | Insoluble |
| Partition coefficient (n-octanol/water) : | > 6 (estimated value) |
| Auto-ignition temperature: | >200°C |
| Decomposition temperature: | Not available |
| Viscosity, dynamic: | 24~<41mm ² /s @100°C |
| Specific heat value: | Not available |
| Particle size: | Not available |
| Volatile organic compounds content: | Not available |
| % volatile: | Not available |
| Saturated vapour concentration: | Not available |
| Release of invisible flammable vapours and gases: | Not available |

Additional parameters

| | |
|---|---------------|
| Shape and aspect ratio: | Not available |
| Crystallinity: | Not available |
| Dustiness: | Not available |
| Surface area: | Not available |
| Degree of aggregation or agglomeration: | Not available |
| Ionisation (redox potential): | Not available |
| Biodurability or biopersistence: | Not available |

10. Stability and reactivity

| | |
|-------------------------------------|---|
| Reactivity: | Stable under recommended transport or storage conditions. |
| Chemical stability: | Stable under normal temperatures and pressures. |
| Possibility of hazardous reactions: | May react with strong oxidizing agents. |
| Conditions to avoid: | Incompatible materials. Avoid extreme temperatures, sun exposure, the fire source. |
| Incompatible materials: | Strong oxidizing agents, such as chlorates, nitrates, peroxides, etc. |
| Hazardous decomposition products: | A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion. |

11. Toxicological information

Toxicological data:

Acute toxicity:

| | |
|------------------------|---------------------|
| LD50(Oral, Rat): | >5g/kg |
| LD50(Dermal, Rabbit): | >5g/kg |
| LC50(Inhalation, Rat): | >10g/m ³ |

Highly refined mineral oil (CAS: 64742-54-7)

| | |
|------------------------|-----------------|
| LD50(Oral, Rat): | > 5000 mg/kg bw |
| LD50(Dermal, Rabbit): | > 2000 mg/kg bw |
| LC50(Inhalation, Rat): | 2.18 mg/L air |

Highly refined mineral oil (CAS: 64742-57-0)

| | |
|------------------------|-----------------|
| LD50(Oral, Rat): | > 5000 mg/kg bw |
| LD50(Dermal, Rabbit): | > 2000 mg/kg bw |
| LC50(Inhalation, Rat): | 2.18 mg/L air |

| | |
|---------------------------------------|---|
| Skin corrosion/Irritation: | No data available. |
| Serious eye damage/irritation: | No data available. |
| Respiratory or skin sensitization: | No data available. |
| Germ cell mutagenicity: | No data available. |
| Carcinogenicity: | No data available. |
| Reproductive toxicity: | No data available. |
| STOT- single exposure: | No data available. |
| STOT-repeated exposure: | No data available. |
| Aspiration hazard: | No data available. |
| Other information | This product has no known adverse effect on human health. |
| Information on routes of exposure | No data available. |
| Symptoms related to exposure | No data available. |
| Numerical measures of toxicity | No data available. |
| Immediate, delayed and chronic health | No data available. |

12. Ecological information

Ecotoxicity:

| Acute toxicity | | Time | Species | Method | Evaluation | Remarks |
|----------------|-----|------|---------|----------|------------|---------|
| LC50 | N/A | 96h | Fish | OECD 203 | N/A | N/A |
| EC50 | N/A | 48h | Daphnia | OECD 202 | N/A | N/A |
| EC50 | N/A | 72h | Algae | OECD 201 | N/A | N/A |

Persistence and degradability:

This material is not expected to be readily biodegradable.

Bioaccumulative potential:

This material contains components with potential to bioaccumulation.

Mobility in soil:

If into the soil, this material will be adsorbed and not flow.

Other adverse effects:

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Safe handling and disposal methods:

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Disposal of any contaminated packaging:

Australia:

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

New Zealand:

Product Disposal

Product wastes are controlled wastes and should be disposed of in accordance with all applicable local and national regulations. This product can be disposed through a licensed commercial waste collection service. In this specific case the product is a combustible substance and therefore can be sent to an approved high temperature incineration plant for disposal. Personal protective clothing and equipment as specified in Section 8 of this SDS must be worn during handling and disposal of this product. The ventilation requirements as specified in the same section must be followed, and the precautions given in Section 7 of this SDS regarding handling must also be followed. Do not dispose into the sewerage system. Do not discharge into drains or watercourses or dispose where ground or surface waters may be affected. In New Zealand, the disposal agency or contractor must comply with the New Zealand Hazardous Substances (Disposal) Regulations 2001. Further details regarding disposal can be obtained on the EPA New Zealand website under specific group standards.

Container Disposal

The container or packaging must be cleaned and rendered incapable of holding any substance. It can then be disposed of in a manner consistent with that of the substance it contained. In this instance the packaging can be disposed through a commercial waste collection service. Alternatively, the container or packaging can be recycled if the hazardous residues have been thoroughly cleaned or rendered non-hazardous. In New Zealand, the packaging (that may or may not hold any residual substance) that is lawfully disposed of by householders or other consumers through a public or commercial waste collection service is a means of compliance with regulations.

14. Transport information

Australia:

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

New Zealand:

Not classified as Dangerous Goods for transport according to the NZS 5433:2012 Transport of Dangerous Goods on Land.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

U.N. Number

None Allocated

Proper Shipping Name

None Allocated

DG Class

None Allocated

Packing Group

None Allocated

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Australia:

Not classified as Hazardous according to criteria of National Occupational Health and Safety Commission (NOHSC), Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

New Zealand:

Not classified as Hazardous according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.

Australia HVIC: Listed substance

Not available.

New Zealand Location Test Certificate

Subject to Regulation 55 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations a location test certificate is required when quantity greater than or equal to those indicated below are present.

| Hazard Class | Quantity beyond which controls apply for closed containers | Quantity beyond which controls apply when use occurring in open containers |
|----------------|--|--|
| Not Applicable | Not Applicable | Not Applicable |

New Zealand Approved Handler

Subject to Regulation 56 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations, the substance must be under the personal control of an Approved Handler when present in a quantity greater than or equal to those indicated below.

| Class of substance | Quantities |
|--------------------|----------------|
| Not Applicable | Not Applicable |

Inventory status:

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Not available. |
| Canada | Domestic Substances List (DSL) | Not available. |

| | | |
|-----------------------------|--|----------------|
| Canada | Non-Domestic Substances List (NDSL) | Not available. |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Not available. |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Not available. |
| Europe | European List of Notified Chemical Substances (ELINCS) | Not available. |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Not available. |
| Korea | Existing Chemicals List (ECL) | Not available. |
| New Zealand | New Zealand Inventory | Not available. |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Not available. |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Not available. |

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

| | |
|--|--|
| Indication of changes: | Version 1.1 |
| Date of preparation or review: | 2022.05.23 |
| Key abbreviations or acronyms used: | CAS: Chemical Abstracts Service LC50: Lethal Concentration 50 EC50: Concentration for 50% of maximal effect LD50: Lethal dose 50% MAC: maximum allowable concentration, (MAC) PC-TWA: permissible concentration-time weighted average PC-STEL: permissible concentration-short term exposure limit |
| reference | Australia: Standard for the Uniform Scheduling of Medicines and Poisons. Approved criteria for classifying hazardous substances [NOHSC: 1008(2004)]. National Code of Practice for the Preparation of Material Safety Data Sheets [NOHSC: 2011(2003)]. Australian Code for the Transport of Dangerous Goods by Road & Rail. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals. Workplace exposure standards for airborne contaminants, Safe work Australia. American Conference of Industrial Hygienists (ACGIH) New Zealand: Workplace Exposure Standards and Biological Exposure Indices Transport of Dangerous goods on land NZS 5433. Preparation of Safety Data Sheets - Approved Code of Practice Under the HSNO Act 1996 (HSNO CoP 8-1 0906). Assigning a hazardous substance to a group standard. American Conference of Industrial Hygienists (ACGIH) |